# Assessments

## **ALOC Screening Document**

Date: Time: Log #_	Screener:	
Preferred Name:	Date of Birth:	Age:
Gender: M / F / GNB / Transgender Ethnic	ity:	
Preferred Language:	Phone #:	_
Client Address/Place of Residence:	City:	

\* What is most important to you, that you want help with?

Drug of Choice:	Route of Administration:	Frequency last 30 days:	Quantity:	Frequency last 12 months:	Last Da of Use
Do you use opioids regularly	?Y/N <i>If</i>	<i>Yes:</i> Do you worry at	out the use of (	opioids? Y/ N	
Do you have current Medical	<b>Coverage</b> : Y / N	If Yes: Insurance P	rovider:	-	
Current Medical Condition(s	U U	•			
If yes, Primary Care Provider					
Current Psychiatric Diagnosis	/Condition(s):		Whe	en:	
If Yes, Mental Health Profes	sional Name:		Where:		
Current Prescribed	Medication:	Taking it?: Yes/No	How Man Client	y Days' Supply Doc Have Available?:	es

Living Situation: Homeless/ Stable Residence/Living with a Partner / Living with Family / Other

Are you pregnant?: Y / N / Unknown Are you married/partnered?: Y/ N Single?

Child:	Α	ge:	Gender	Living With You?: Yes / No	

Source of Income #: \_\_\_\_\_ Social Security #: \_\_\_\_\_

For funding purposes only, have you ever been arrested?  $\mathbf{Y} \slash \mathbf{N}$ 

### DIMENSION 1. Acute Intoxication and/or Withdrawal Potential

- (a) Do you have a history of serious withdrawal, life-threatening symptoms or seizures during withdrawal? e.g., need for IV therapy; hospital for seizure control; psychosis with DT's; medication management with close nurse monitoring and medical management?\_\_No\_\_Yes;
- (b) Do you currently have severe, life-threatening and/or similar withdrawal symptoms? \_\_\_\_\_No \_\_\_\_Yes
- (c) Currently having opioid withdrawal symptoms? (Restlessness, chills, sweats, runny nose, pain, stomach cramps)\_\_No\_\_\_Yes *If yes: consider OTP/NTP level of care*

Select one: No Risk/Stable (0) Mild (1) Moderate (2) Significant (3) Severe (4)

### **DIMENSION 2. Biomedical Conditions/Complications**

- (a) Do you have any current severe physical health problems? e.g., bleeding from mouth/rectum in past 24 hrs.; recent, unstable hypertension; severe pain in chest, abdomen, head; significant problems in balance, gait, sensory/motor abilities not related to intoxication. No Yes
- (b) Do you have history or recent episode of seizures/convulsions; TB diagnosis, emphysema, Hep. C, heart condition? No Yes

Select one: No Risk/Stable (0) Mild (1) Moderate (2) Significant (3) Severe (4)

### DIMENSION 3. Emotional/Behavioral/Cognitive Conditions/Complications

- (a) Are you in imminent danger of harming yourself or someone else? e.g., SI+ with intent, plan, means to succeed; HI+ or violent ideation, impulses, uncertainty about ability to control impulses, with means to act. No Yes;
- (b) Are you unable to function in ADL's, care for self with imminent, dangerous consequences? e.g., unable to bathe, feed, care for selfdue to psychosis, organicity or uncontrolled intoxication with threat of imminent DTS/O as regards death or severe injury. <u>No</u> Yes
- (c) Will the client benefit from a co-occurring capable program as opposed to a co-occurring enhanced program? \_\_\_\_\_\_ No \_\_\_\_\_ Yes

Select one: No Risk/Stable (0) Mild (1) Moderate (2) Significant (3) Severe (4)

### **DIMENSION 4. Readiness to Change**

- (a) Does the client appear to need SUD treatment/recovery and/or mental health treatment, but is ambivalent or feels it's unnecessary? e.g., severe addiction, but client feels controlled use is still OK; psychotic, but blames a conspiracy. No Yes;
- (b) Have you been coerced or mandated to have assessment and/or treatment by Mental Health Court or CJ system, health or social services, work/school, or family/significant other? No Yes
- (c) Client is in which Stage of Change? Precontemplation Contemplation Preparation Action Maintenance

Select one: No Risk/Stable (0) Mild (1) Moderate (2) Significant (3) Severe (4)

### **DIMENSION 5. Relapse/Continued Use/Continued Problem Potential**

- (a) Do you understand your relapse potential, but need structure to maintain therapeutic gains? \_\_\_\_\_No \_\_\_\_\_Yes;
- (b) Are you unwilling and/or ambivalent to create a relapse or continued use prevention plan? \_\_\_\_\_ No \_\_\_\_\_ Yes
- (c) Will you continue to use/have active symptoms in imminently dangerous manner, without immediate containment? \_\_\_\_\_No\_\_\_\_Yes

Select one: No Risk/Stable (0) Mild (1) Moderate (2) Significant (3) Severe (4)

#### **DIMENSION 6. Recovery Environment**

- (a) Are there any dangerous family, significant others, living, work, or school situations threatening your safety, immediate wellbeing, and/or sobriety? e.g., living with a drug dealer; someone with a Substance Use Disorder or using drugs or alcohol; client is experiencing abuse by a partner or significant other; homeless in freezing temperatures. \_\_\_\_No \_\_\_\_Yes
- (b) How would you describe your relationships? e.g., family, significant other, co-workers, friends, and peers. \_\_Actively toxic \_\_Not supportive \_\_Marginally supportive \_\_Noderately supportive \_\_Very supportive

Select one: No Risk/Stable (0) Mild (1) Moderate (2) Significant (3) Severe (4)

**OTHER.** Any other information related to treatment needs you'd like to discuss (i.e. language, sexual orientation, gender identity, disability, accessibility of services, etc.)? If yes, please explain:

### ASAM Clinical Placement Scoring Summary

Please refer to the responses provided on the previous page to help guide your risk rating for each of the six dimensions. The determined risk rating should inform your level of care selection—a higher risk rating warrants a higher intensity of services.

chronic problem mostly stabilized.       No mineduate services needed.         (1) Mild – Minimal, current difficulty or impairment. Minimal or mild signs and symptoms. Any acute or chronic problems soon able to be stabilized and functioning restored with minimal difficulty.       Low intensity of services needed for this dimension. Treatment strategies usually able to be delivered tin outpatient settings.         (2) Moderate – Moderate difficulty or impairment. Moderate signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and assistance.       Moderate intensity of services, skills training or supports needed for this level of risk. Treatment strategies may require intensive levels of outpatient care.         (3) Significant – Serious difficulties or impairment. Substantial difficulty coping or understanding and being able to function even with clinical support.       Moderately high intensity of services, skills training, or supports needed. More immediate, urgent services may require inpatient or residential action core signs and symptoms. Very poor ability to tolerate and cope with problems. Is in imminent danger.       High intensity of services, skills training, or supports needed. More immediate, urgent services may require inpatient or residential acting; or closely monitored case management services and a frequency greater than daily.	(1) No Risk or Stable – Current risk absent. Any acute or chronic problem mostly stabilized.       No immediate services needed.       1       2       3       4       5         (1) Mild – Minimal, current difficulty or impairment. Minimal or mild signs and symptoms. Any acute or chronic problems soon able to be stabilized and functioning restored with minimal difficulty.       Low intensity of services needed.       1       2       3       4       5         (2) Moderate – Moderate difficulty or impairment. Moderate signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and assistance.       Moderate intensity of services, skills training or supports needed for this level of risk. Treatment strategies may require intensive levels of outpatient care.       Moderately high intensity of services, skills training, or supports needed. May be in danger or near imminent danger.       I <th></th> <th></th> <th></th> <th colspan="3">Dimension</th> <th colspan="4">ns</th>				Dimension			ns			
chronic problem mostly stabilized.       No mineulate services needed.         (1) Mild – Minimal, current difficulty or impairment. Minimal or mild signs and symptoms. Any acute or chronic problems soon able to be stabilized and functioning restored with minimal difficulty.       Low intensity of services needed for this dimension. Treatment strategies usually able to be delivered tin outpatient settings.         (2) Moderate – Moderate difficulty or impairment. Moderate signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and assistance.       Moderate intensity of services, skills training or supports needed for this level of risk. Treatment strategies may require intensive levels of outpatient care.         (3) Significant – Serious difficulty or impairment. Substantial difficulty coping or understanding and being able to function even with clinical support.       Moderately high intensity of services, skills training, or supports needed. More immediate, urgent services may require inpatient or residential action of residential support.         (4) Severe – Severe difficulty or impairment. Serious, gross or persistent signs and symptoms. Very poor ability to tolerate and cope with problems. Is in imminent danger.       High intensity of services, skills training, or supports needed. More immediate, urgent services may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.	chronic problem mostly stabilized.       No inimediate services needed.         (1) Mild – Minimal, current difficulty or impairment. Minimal of mild signs and symptoms. Any acute or chronic problems soon able to be stabilized and functioning restored with minimal difficulty.       Low intensity of services needed for this dimension. Treatment strategies usually able to be delivered tin outpatient settings.         (2) Moderate – Moderate difficulty or impairment. Moderate signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and assistance.       Moderate intensity of services, skills training or supports needed for this level of risk. Treatment strategies may require intensive levels of outpatient care.         (3) Significant – Serious difficulty or impairment. Substantial difficulty oping or understanding and being able to function even with clinical support.       Moderately high intensity of services, skills training, or supports needed. More immediate, urgent services may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.         I. Key Findings Supporting Placement Decision:       III. Indicated Level of Care:	Risk Ratings		Intensity of Service Need	1	2	3	4	5	I	
or mild signs and symptoms. Any acute or chronic problems soon able to be stabilized and functioning restored with minimal difficulty.Low intensity of services needed for this dimension. Treatment strategies usually able to be delivered tin outpatient settings.(2) Moderate – Moderate difficulty or impairment. Moderate signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and assistance.Moderate intensity of services, skills training or supports needed for this level of risk. Treatment strategies may require intensive levels of outpatient care.(3) Significant – Serious difficulties or impairment. Substantial difficulty coping or understanding and being able to function even with clinical support.Moderately high intensity of services, skills training, or supports needed. May be in danger or near imminent danger.(4) Severe – Severe difficulty or impairment. Serious, gross or persistent signs and symptoms. Very poor ability to tolerate and cope with problems. Is in imminent danger.High intensity of services may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.	or mild signs and symptoms. Any acute or chronic problems soon able to be stabilized and functioning restored with minimal difficulty.       Low intensity of services needed for this dimension. Treatment strategies usually able to be delivered tin outpatient settings.         (2) Moderate – Moderate difficulty or impairment. Moderate signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and assistance.       Moderate intensity of services, skills training or supports needed for this level of risk. Treatment strategies may require intensive levels of outpatient care.         (3) Significant – Serious difficulties or impairment. Substantial difficulty or impairment. Serious, gross or persistent signs and symptoms. Very poor ability to tolerate and cope with problems. Is in imminent danger.       Moderate revices may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.         1. Key Findings Supporting Placement Decision:         11. Indicated Level of Care:		No immediate se	rvices needed.							
signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and assistance.       Inclusing of supports needed for this level of risk. Treatment strategies may require intensive levels of outpatient care.         (3) Significant – Serious difficulties or impairment. Substantial difficulty coping or understanding and being able to function even with clinical support.       Moderately high intensity of services, skills training, or supports needed. May be in danger or near imminent danger.         (4) Severe – Severe difficulty or impairment. Serious, gross or persistent signs and symptoms. Very poor ability to tolerate and cope with problems. Is in imminent danger.       High intensity of services, skills training, or supports needed. More immediate, urgent services may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.	signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and assistance.       inductive memory services, skills training of supports incoded for outpatient care.         (3) Significant – Serious difficulties or impairment. Substantial difficulty coping or understanding and being able to function even with clinical support.       Moderately high intensity of services, skills training, or supports needed. May be in danger or near imminent danger.       Image: Support in generation of the services and a immediate, urgent services may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.         I. Key Findings Supporting Placement Decision:         II. Indicated Level of Care:	or mild signs and symptoms. Any acute or chronic problems soon able to be stabilized and functioning restored with minimal									
Substantial difficulty coping or understanding and being able to function even with clinical support.       Inductative fight intensity of services, skills training, of supports needed. May be in danger or near imminent danger.         (4) Severe – Severe difficulty or impairment. Serious, gross or persistent signs and symptoms. Very poor ability to tolerate and cope with problems. Is in imminent danger.       High intensity of services, skills training, or supports needed. More immediate, urgent services may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.	Substantial difficulty coping or understanding and being able to function even with clinical support.       Indectactly ligh inclusivy of services, skins training, of supports including of supports incl	signs and symptoms. Some difficulty coping or understanding, but able to function with clinical and other support services and	this level of risk.								
(4) Severe – Severe difficulty or impairment. Serious, gross or persistent signs and symptoms. Very poor ability to tolerate and cope with problems. Is in imminent danger. immediate, urgent services may require inpatient or residential frequency greater than daily.	(4) Severe – Severe difficulty of impairment. Serious, gross or persistent signs and symptoms. Very poor ability to tolerate and cope with problems. Is in imminent danger.       immediate, urgent services may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.         I. Key Findings Supporting Placement Decision:       Immediate, urgent services may require inpatient or residential settings; or closely monitored case management services and a frequency greater than daily.         II. Indicated Level of Care:       Immediate Level of Care:	Substantial difficulty coping or understanding and being able to								Ī	
	I. Key Findings Supporting Placement Decision:	(4) Severe – Severe difficulty or impairment. Serious, gross or persistent signs and symptoms. Very poor ability to tolerate	immediate, urgen settings; or close	nt services may require inpatient or residential ly monitored case management services and a							
III. Actual Level of Care:		ASAM Leves of Care	)								
ASAM Leves of Care Program to which referred		- OTP/NTP Methadone programs/Medication Assisted		(see AUBHUS Provide	r L19	sts)					
ASAM Leves of Care     Program to which referred       - Early Intervention (SBIRT, DUI, Diversion-PC1000)     (see ACBHCS Provider Lists)       - OTP/NTP Methadone programs/Medication Assisted Treatment     (see ACBHCS Provider Lists)	<ul> <li>Early Intervention (SBIRT, DUI, Diversion-PC1000)</li> <li>OTP/NTP Methadone programs/Medication Assisted Treatment</li> </ul>			Program Referred							
ASAM Leves of Care       Program to which referred         - Early Intervention (SBIRT, DUI, Diversion-PC1000)       (see ACBHCS Provider Lists)         - OTP/NTP Methadone programs/Medication Assisted Treatment       -1 Outpatient Services         - 1 Outpatient Services       Program Referred	<ul> <li>Early Intervention (SBIRT, DUI, Diversion-PC1000) (see ACBHCS Provider Lists)</li> <li>OTP/NTP Methadone programs/Medication Assisted Treatment</li> <li>1 Outpatient Services Program Referred</li> </ul>	- RR/OT Recovery Residence plus Outpatient		10:						-	
ASAM Leves of CareProgram to which referred- Early Intervention (SBIRT, DUI, Diversion-PC1000)(see ACBHCS Provider Lists)- OTP/NTP Methadone programs/Medication Assisted Treatment-1 Outpatient Services- 1 Outpatient ServicesProgram Referred- 2.1 Intensive Outpatient Services- RR/OT Recovery Residence plus Outpatient	<ul> <li>Early Intervention (SBIRT, DUI, Diversion-PC1000)</li> <li>OTP/NTP Methadone programs/Medication Assisted Treatment</li> <li>1 Outpatient Services</li> <li>2.1 Intensive Outpatient Services</li> <li>RR/OT Recovery Residence plus Outpatient</li> </ul>	- RR/IOT Recovery Residence plus Intensive Outpatie - 3.1 Low-Intensity Residential Services	ent	Contact Person:							

- 3.1 Low-Intensity Residential Services
- 3.3 Population-Specific High-Intensity Residential Services
- 3.5 Clinically Managed High-Intensity Residential Services
- 3.7 Medically Monitored Inpatient Services
- 4.0 Medically managed Inpatient Services
- 1-WM Ambulatory Withdrawal Mgmt. w/out Extended On-Site Monitoring
- 3.2-WM Residential Withdrawal Management
- Availability to admit into Care: Immediately / Delayed

If delayed, reason: Patient Preference / Level of Care Availability / Other Special Pop. Specific / ADA Access

First Offered Appointment

Intake Appointment

Date:

Date:\_\_\_\_

Interim Service Referral: Date:\_\_\_\_\_Time:\_\_\_\_\_Where:\_\_\_\_\_With:\_\_\_\_\_

Schedule In Person Assessment: Date: \_\_\_\_\_ Time: \_\_\_\_\_ Where: North / South With:

### Do You Consent to Releasing Your Information to the Providers we refer you to? (Y/N)

Staff Signature (required):	Date:
Supervisors Signature (required):	Date:

\* ASAM Screening Tool SUD\_ASAM FINAL rev 09-26-2018

Time:

Time:



# Life Events Checklist (LEC) for DSM-5 Standard Version

Version date: 27 October 2013

**Reference:** Weathers, F. W., Blake, D. D., Schnurr, P. P., Kaloupek, D. G., Marx, B. P., & Keane, T. M. (2013). *The Life Events Checklist for DSM-5 (LEC-5) – Standard*. [Measurement instrument]. Available from <u>http://www.ptsd.va.gov/</u>

**URL:** <u>http://www.ptsd.va.gov/professional/assess-</u> ment/te-measures/life\_events\_checklist.asp

This page intentionally left blank

**Instructions:** Listed below are a number of difficult or stressful things that sometimes happen to people. For each event check one or more of the boxes to the right to indicate that: (a) it <u>happened to you</u> personally; (b) you <u>witnessed</u> it happen to someone else; (c) you <u>learned about it</u> happening to a close family member or close friend; (d) you were exposed to it as <u>part of your job</u> (for example, paramedic, police, military, or other first responder); (e) you're <u>not sure</u> if it fits; or (f) it <u>doesn't apply</u> to you.

Be sure to consider your *entire life* (growing up as well as adulthood) as you go through the list of events.

Event	Happened to me	Witnessed it	Learned about it	Part of my job	Not sure	Doesn't apply
<ol> <li>Natural disaster (for example, flood, hurricane, tornado, earthquake)</li> </ol>						
2. Fire or explosion						
<ol> <li>Transportation accident (for example, car accident, boat accident, train wreck, plane crash)</li> </ol>						
4. Serious accident at work, home, or during recreational activity						
<ol> <li>Exposure to toxic substance (for example, dangerous chemicals, radiation)</li> </ol>						
<ol> <li>Physical assault (for example, being attacked, hit, slapped, kicked, beaten up)</li> </ol>						
<ol> <li>Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb)</li> </ol>						
8. Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm)						
9. Other unwanted or uncomfortable sexual experience						
10. Combat or exposure to a war-zone (in the military or as a civilian)						
11. Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war)						
12. Life-threatening illness or injury						
13. Severe human suffering						
14. Sudden violent death (for example, homicide, suicide)						
15. Sudden accidental death						
16. Serious injury, harm, or death you caused to someone else						
17. Any other very stressful event or experience						

CO-OCCURRING DISORDERS PROGRAM: SCREENING AND ASSESSMENT

Document is in the public domain. Duplicating this material for personal or group use is permissible.

# Mental Health Screening Form-III (MHSF-III)

Page 1 of 2

Instructions: In this program, we help people with all their problems, not just their addictions. This commitment includes helping people with emotional problems. Our staff is ready to help you to deal with any emotional problems you may have, but we can do this only if we are aware of the problems. Any information you provide to us on this form will be kept in strict confidence. It will not be released to any outside person or agency without your permission. If you do not know how to answer these questions, ask the staff member giving you this form for guidance. Please note, each item refers to your entire life history, not just your current situation. This is why each question begins, "Have you ever . . . "

### Please circle "yes" or "no" for each question.

1.	Have you <i>ever</i> talked to a psychiatrist, psychologist, therapist, social worker, or counselor about an emotional problem?	Yes	No
2.	Have you <i>ever</i> felt you needed help with your emotional problems, or have you had people tell you that you should get help for your emotional problems?	Yes	No
3.	Have you <i>ever</i> been advised to take medication for anxiety, depression, hearing voices, or for any other emotional problem?	Yes	No
4.	Have you <i>ever</i> been seen in a psychiatric emergency room or been hospitalized for psychiatric reasons?	Yes	No
5.	Have you <i>ever</i> heard voices no one else could hear or seen objects or things which others could not see?	Yes	No
6.	<ul><li>(a) Have you <i>ever</i> been depressed for weeks at a time, lost interest or pleasure in most activities, had trouble concentrating and making decisions, or thought about killing yourself?</li><li>(b) Did you ever attempt to kill yourself?</li></ul>	Yes Yes	No No
7.	Have you <i>ever</i> had nightmares or flashbacks as a result of being involved in some traumatic/terrible event? For example, warfare, gang fights, fire, domestic violence, rape, incest, car accident, being shot or stabbed?	Yes	No
8.	Have you <i>ever</i> experienced any strong fears? For example, of heights, insects, animals, dirt, attending social events, being in a crowd, being alone, being in places where it may be hard to escape or get help?	Yes	No
9.	Have you <i>ever</i> given in to an aggressive urge or impulse, on more than one occasion, that resulted in serious harm to others or led to the destruction of property?	Yes	No
10.	Have you <i>ever</i> felt that people had something against you, without them necessarily saying so, or that someone or some group may be trying to influence your thoughts or behavior?	Yes	No
11.	Have you <i>ever</i> experienced any emotional problems associated with your sexual interests, your sexual activities, or your choice of sexual partner?	Yes	No
12.	Was there <i>ever</i> a period in your life when you spent a lot of time thinking and worrying about gaining weight, becoming fat, or controlling your eating? For example, by repeatedly dieting or fasting, engaging in much exercise to compensate for binge eating, taking enemas, or	X	
	forcing yourself to throw up?	Yes	No

continued on other side

13.	Have you <i>ever</i> had a period of time when you were so full of energy and your ideas came very rapidly, when you talked nearly nonstop, when you moved quickly from one activity to another, when you needed little sleep, and when you believed you could do almost anything?	Yes	No
14.	Have you <i>ever</i> had spells or attacks when you suddenly felt anxious, frightened, or uneasy to the extent that you began sweating, your heart began to beat rapidly, you were shaking or trembling, your stomach was upset, or you felt dizzy or unsteady, as if you would faint?	Yes	No
15.	Have you <i>ever</i> had a persistent, lasting thought or impulse to do something over and over that caused you considerable distress and interfered with normal routines, work, or social relations? Examples would include repeatedly counting things, checking and rechecking on things you had done, washing and rewashing your hands, praying, or maintaining a very rigid schedule of daily activities from which you could not deviate.	Yes	No
16.	Have you <i>ever</i> lost considerable sums of money through gambling or had problems at work, in school, or with your family and friends as a result of your gambling?	Yes	No
17.	Have you <i>ever</i> been told by teachers, guidance counselors, or others that you have a special learning problem?	Yes	No

Print client's name:	
Program to which client will be assigned:	
Name of admissions counselor:	Date:
Reviewer's comments:	

CO-OCCURRING DISORDERS PROGRAM: SCREENING AND ASSESSMENT



# The Primary Care PTSD Screen for *DSM-5* (PC-PTSD-5)

Version date: 2015

**Reference:** Prins, A., Bovin, M. J., Kimerling, R., Kaloupek, D. G, Marx, B. P., Pless Kaiser, A., & Schnurr, P. P. (2015). *The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5)* [Measurement instrument]. Available from http://www.ptsd.va.gov

**URL:** <u>http://www.ptsd.va.gov/professional/</u> <u>assessment/screens/pc-ptsd.asp</u>

## Description

The Primary Care PTSD Screen for *DSM-5* (PC-PTSD-5) is a 5-item screen designed to identify individuals with probable PTSD. Those screening positive require further assessment, preferably with a structured interview.

## Scoring

The measure begins with an item designed to assess whether the respondent has had any exposure to traumatic events. If a respondent denies exposure, the PC-PTSD-5 is complete with a score of 0.

If a respondent indicates a trauma history – experiencing a traumatic event over the course of his or her life – the respondent is instructed to answer five additional yes/no questions (see below) about how that trauma has affected him or her over the past month.

Preliminary results from validation studies suggest that the PC-PTSD-5 should be considered "positive" (i.e., the patient has probable PTSD) if the total score for the five questions about how a traumatic event has affected him or her over the past month is three or more.

## Example

### In the past month, have you...

1.	had night	mares abo	ut the eve	nt(s) or thought about the event(s)	when you did not want to?				
		YES		NO					
2.		not to thir event(s)?	ık about t	he event(s) or went out of your way	<pre>v to avoid situations that reminded</pre>				
		YES		NO					
3.	been con	stantly on g	juard, wat	cchful, or easily startled?					
		YES		NO					
4.	felt numb	or detache	ed from pe	eople, activities, or your surroundin	gs?				
		YES		NO					
5.	felt guilty may have		o stop bla	o stop blaming yourself or others for the event(s) or any problems the event(s)					
		YES		NO					
Total Score:				If total score is 3 or more, screen	indicates probable PTSD.				

### PC-PTSD-5

Sometimes things happen to people that are unusually or especially frightening, horrible, or traumatic. For example:

- a serious accident or fire
- a physical or sexual assault or abuse
- an earthquake or flood
- a war

2.

3.

- seeing someone be killed or seriously injured
- having a loved one die through homicide or suicide.

Have you ever experienced this kind of event?

YES

If no, screen total = 0. Please stop here.

If yes, please answer the questions below.

### In the past month, have you...

YES

YES

1. had nightmares about the event(s) or thought about the event(s) when you did not want to?

NO

NO

NO

NO

	YES	NO	
•	tried hard not to think about th event(s)?	e event(s) or went out o	f your way to avoid situations that reminded you of the
	YES	NO	
	been constantly on guard, watc	hful, or easily startled?	

- 4. felt numb or detached from people, activities, or your surroundings?
- 5. felt guilty or unable to stop blaming yourself or others for the event(s) or any problems the event(s) may have caused?

YES

## **Substance Abuse and Mental Health Services Administration (SAMHSA)**

## Center for Substance Abuse Treatment (CSAT)

## Government Performance and Results Act (GPRA) Client Outcome Measures for Discretionary Programs

SAMHSA's Performance Accountability and Reporting System (SPARS) March 2019

Public reporting burden for this collection of information is estimated to average 36 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information, if all items are asked of a client/participant; to the extent that providers already obtain much of this information as part of their ongoing client/participant intake or follow-up, less time will be required. Send comments regarding this burden estimate, or any other aspect of this collection of information, to the Substance Abuse and Mental Health Services Administration (SAMHSA) Reports Clearance Officer, Room 15E57B, 5600 Fishers Lane, Rockville, MD 20857. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid Office of Management and Budget (OMB) control number. The control number for this project is 0930-0208.

### **Table of Contents**

A.	RECORD MANAGEMENT	1
A.	BEHAVIORAL HEALTH DIAGNOSES	2
A.	PLANNED SERVICES	8
A.	DEMOGRAPHICS	9
A.	MILITARY FAMILY AND DEPLOYMENT	10
B.	DRUG AND ALCOHOL USE	12
C.	FAMILY AND LIVING CONDITIONS	14
D.	EDUCATION, EMPLOYMENT, AND INCOME	
E.	CRIME AND CRIMINAL JUSTICE STATUS	17
F.	MENTAL AND PHYSICAL HEALTH PROBLEMS AND TREATMENT/RECOVERY	
G.	SOCIAL CONNECTEDNESS	23
H.	PROGRAM-SPECIFIC QUESTIONS	24
H1.	PROGRAM-SPECIFIC QUESTIONS	25
H2.	PROGRAM-SPECIFIC QUESTIONS	
H3.	PROGRAM-SPECIFIC QUESTIONS	27
H4.	PROGRAM-SPECIFIC QUESTIONS	
H5.	PROGRAM-SPECIFIC QUESTIONS	
H6.	PROGRAM-SPECIFIC QUESTIONS	
H7.	PROGRAM-SPECIFIC QUESTIONS	
H8.	PROGRAM-SPECIFIC QUESTIONS	
H9.	PROGRAM-SPECIFIC QUESTIONS	
H10.	PROGRAM-SPECIFIC QUESTIONS	
I.	FOLLOW-UP STATUS	
J.	DISCHARGE STATUS	
K.	SERVICES RECEIVED	

[This page intentionally left blank]

## A. RECORD MANAGEMENT

Client ID				_	_	.		_					
Client Type:													
<ul><li>Treatment of</li><li>Client in re</li></ul>													
Contract/Grant ID				_	_			_	I				
Interview Type [CIRC	Interview Type [CIRCLE ONLY ONE TYPE.]												
Intake [GO TO	INTERVIE	EW DATH	E.]										
6-month follow [ <b>IF NO, GO D</b>	· ·			-	interv	view?			ΟY	es	○ No	)	
3-month follow Did you conduc [IF NO, GO D	et a follow-u	ıp intervie	ew?		<b>10 0</b> 1	NLY]:			ΟY	es	○ No	)	
Discharge: Did [IF NO, GO D	•		•		w?				ΟY	es	○ No	)	
Interview Date	 Month	/   Da	/ .y		 Ye	ear		I					

## A. BEHAVIORAL HEALTH DIAGNOSES

[REPORTED BY PROGRAM STAFF.]

Please indicate the client's current behavioral health diagnoses using the International Classification of Diseases, 10th revision, Clinical Modification (ICD-10-CM) codes listed below. Please note that some substance use disorder ICD-10-CM codes have been crosswalked to the *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition* (DSM-5), descriptors. Select up to three diagnoses. For each diagnosis selected, please indicate whether it is primary, secondary, or tertiary, if known. Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.

Behavioral Health Diagnoses	Diagnosed?	indicate	cted, please iagnosis is tertiary, if	
	Select up to 3	Primary	Secondary	Tertiary
SUBSTANCE USE DISORDER DIAGNOSES				
Alcohol-related disorders				
F10.10 – Alcohol use disorder, uncomplicated, mild	0	0	0	0
F10.11 – Alcohol use disorder, mild, in remission	0	0	0	0
F10.20 – Alcohol use disorder, uncomplicated, moderate/severe	0	0	0	0
F10.21 – Alcohol use disorder, moderate/severe, in remission	0	0	0	0
F10.9 – Alcohol use, unspecified	0	0	0	0
<b>Opioid-related disorders</b>				
F11.10 – Opioid use disorder, uncomplicated, mild	0	0	0	0
F11.11 – Opioid use disorder, mild, in remission	0	0	0	0
F11.20 – Opioid use disorder, uncomplicated, moderate/severe	0	0	0	0
F11.21 – Opioid use disorder, moderate/severe, in remission	0	0	0	0
F11.9 – Opioid use, unspecified	0	0	0	0
Cannabis-related disorders				
F12.10 – Cannabis use disorder, uncomplicated, mild	0	0	0	0
F12.11 – Cannabis use disorder, mild, in remission	0	0	0	0
F12.20 – Cannabis use disorder, uncomplicated, moderate/severe	0	0	0	0
F12.21 – Cannabis use disorder, moderate/severe, in remission	0	0	0	0
F12.9 – Cannabis use, unspecified	0	0	0	0
Sedative-, hypnotic-, or anxiolytic-related disorders	•	•		
F13.10 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, mild	0	0	0	0
F13.11 – Sedative, hypnotic, or anxiolytic use disorder, mild, in remission	0	0	0	0

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether diagnosis is primar secondary, or tertiary, if known			
	Select up to 3	Primary	Secondary	Tertiary	
F13.20 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, moderate/severe	0	0	0	0	
F13.21 – Sedative, hypnotic, or anxiolytic use disorder, moderate/severe, in remission	0	0	0	0	
F13.9 – Sedative, hypnotic, or anxiolytic use, unspecified	0	0	0	0	
Cocaine-related disorders	•	•	•	•	
F14.10 – Cocaine use disorder, uncomplicated, mild	0	0	0	0	
F14.11 – Cocaine use disorder, mild, in remission	0	0	0	0	
F14.20 – Cocaine use disorder, uncomplicated, moderate/severe	0	0	0	0	
F14.21 – Cocaine use disorder, moderate/severe, in remission	0	0	0	0	
F14.9 – Cocaine use, unspecified	0	0	0	0	
Other stimulant-related disorders	•	•	-	•	
F15.10 – Other stimulant use disorder, uncomplicated, mild	0	0	0	0	
F15.11 – Other stimulant use disorder, mild, in remission	0	0	0	0	
F15.20 – Other stimulant use disorder, uncomplicated, moderate/severe	0	0	0	0	
F15.21 – Other stimulant use disorder, moderate/severe, in remission	0	0	0	0	
F15.9 – Other stimulant use, unspecified	0	0	0	0	
Hallucinogen-related disorders	•	•	-	•	
F16.10 – Hallucinogen use disorder, uncomplicated, mild	0	0	0	0	
F16.11 – Hallucinogen use disorder, mild, in remission	0	0	0	0	
F16.20 – Hallucinogen use disorder, uncomplicated, moderate/severe	0	0	0	0	
F16.21 – Hallucinogen use disorder moderate/severe, in remission	0	0	0	0	
F16.9 – Hallucinogen use, unspecified	0	0	0	0	
Inhalant-related disorders	•	-	•	•	
F18.10 – Inhalant use disorder, uncomplicated, mild	0	0	0	0	
F18.11 – Inhalant use disorder, mild, in remission	0	0	0	0	
F18.20 – Inhalant use disorder, uncomplicated, moderate/severe	0	0	0	0	
F18.21 – Inhalant use disorder, moderate/severe, in remission	0	0	0	0	
F18.9 – Inhalant use, unspecified	0	0	0	0	

Behavioral Health Diagnoses	Diagnosed?	indicate w	h diagnosis selo hether diagno ary, or tertiary	sis is primary,
	Select up to 3	Primary	Secondary	Tertiary
Other psychoactive substance-related disorders	•		•	•
F19.10 – Other psychoactive substance use disorder, uncomplicated, mild	0	0	0	0
F19.11 – Other psychoactive substance use disorder, in remission	0	0	0	0
F19.20 – Other psychoactive substance use disorder, uncomplicated, moderate/severe	0	0	0	0
F19.21 – Other psychoactive substance use disorder, moderate/severe, in remission	0	0	0	0
F19.9 – Other psychoactive substance use, unspecified	0	0	0	0
Nicotine dependence	-	•	•	•
F17.20 – Tobacco use disorder, mild/moderate/severe	0	0	0	0
F17.21 – Tobacco use disorder, mild/moderate/severe, in remission	0	0	0	0
MENTAL HEALTH DIAGNOSES	•	1		
F20 – Schizophrenia	0	0	0	0
F21 – Schizotypal disorder	0	0	0	0
F22 – Delusional disorder	0	0	0	0
F23 – Brief psychotic disorder	0	0	0	0
F24 – Shared psychotic disorder	0	0	0	0
F25 – Schizoaffective disorders	0	0	0	0
F28 – Other psychotic disorder not due to a substance or known physiological condition	0	0	0	0
F29 – Unspecified psychosis not due to a substance or known physiological condition	0	0	0	0
F30 – Manic episode	0	0	0	0
F31 – Bipolar disorder	0	0	0	0
F32 – Major depressive disorder, single episode	0	0	0	0
F33 – Major depressive disorder, recurrent	0	0	0	0
F34 – Persistent mood [affective] disorders	0	0	0	0
F39 – Unspecified mood [affective] disorder	0	0	0	0
F40–F48 – Anxiety, dissociative, stress-related, somatoform, and other nonpsychotic mental disorders	Ο	0	0	0
F50 – Eating disorders	0	0	0	0
F51 – Sleep disorders not due to a substance or known physiological condition	0	0	0	0
F60.2 – Antisocial personality disorder	0	0	0	0
F60.3 – Borderline personality disorder	0	0	0	0

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether diagnosis is primar secondary, or tertiary, if known			
	Select up to 3	Primary	Secondary	Tertiary	
F60.0, F60.1, F60.4–F69 – Other personality disorders	0	0	0	0	
F70–F79 – Intellectual disabilities	0	0	0	0	
F80–F89 – Pervasive and specific developmental disorders	0	0	0	0	
F90 – Attention-deficit hyperactivity disorders	0	0	0	0	
F91 – Conduct disorders	0	0	0	0	
F93 – Emotional disorders with onset specific to childhood	0	0	0	0	
F94 – Disorders of social functioning with onset specific to childhood or adolescence	0	0	0	0	
F95 – Tic disorder	0	0	0	0	
F98 – Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence	0	0	0	0	
F99 – Unspecified mental disorder	0	0	0	0	

O Don't know

 $\bigcirc$  None of the above

- 1. In the past 30 days, was this client diagnosed with an opioid use disorder?
  - Ο Yes
  - Ο No [SKIP TO 2.]
  - Ο Don't know [SKIP TO 2.]
  - *[IF YES]* In the past 30 days, which U.S. Food and Drug Administration (FDA)-approved medication did a. the client receive for the treatment of this opioid use disorder? [CHECK ALL THAT APPLY.]
  - Ο Methadone
  - $\bigcirc$ Buprenorphine
  - $\bigcirc$  Naltrexone
  - Extended-release naltrexone

[IF RECEIVED] Specify how many days received [IF RECEIVED] Specify how many days received [IF RECEIVED] Specify how many days received

[IF RECEIVED] Specify how many days received

İ	!	
i	'	

- Client did not receive an FDA-approved medication for an opioid use disorder
- Ο Don't know
- In the past 30 days, was this client diagnosed with an alcohol use disorder? 2.
  - Ο Yes
  - Ο No [SKIP TO 3 IF INTAKE. SKIP TO SECTION B IF FOLLOW-UP OR DISCHARGE.]
  - Ο Don't know [SKIP TO 3 IF INTAKE. SKIP TO SECTION B IF FOLLOW-UP OR DISCHARGE.]
  - [IF YES] In the past 30 days, which FDA-approved medication did the client receive for the treatment of a. this alcohol use disorder? [CHECK ALL THAT APPLY.]
  - Ο Naltrexone [IF RECEIVED] Specify how many days received ○ Extended-release naltrexone
  - Disulfiram
  - Ο Acamprosate

[IF RECEIVED] Specify how many days received [IF RECEIVED] Specify how many days received [IF RECEIVED] Specify how many days received

- Ο Client did not receive an FDA-approved medication for an alcohol use disorder
- Ο Don't know

### [FOLLOW-UP AND DISCHARGE INTERVIEWS: SKIP TO SECTION B.]

- Was the client screened by your program for co-occurring mental health and substance use disorders? 3.
  - O YES
  - O NO [SKIP 3a.]
  - 3a. *[IF YES]* Did the client screen positive for co-occurring mental health and substance use disorders?
    - O YES
    - O NO

### [SCREENING, BRIEF INTERVENTION, AND REFERRAL TO TREATMENT (SBIRT) GRANTS CONTINUE. ALL OTHERS GO TO SECTION A, "PLANNED SERVICES."]

### THIS SECTION FOR SBIRT GRANTS ONLY [ITEMS 4, 4A, AND 5 REPORTED ONLY AT INTAKE/BASELINE].

### 4. How did the client screen for your SBIRT?

- O NEGATIVE
- O POSITIVE

### 4a. What was his/her screening score?

Alcohol Use Disorders Identification Test (AUDIT)	=
CAGE	=
Drug Abuse Screening Test (DAST)	=
DAST-10	=
National Institute on Alcohol Abuse and Alcoholism (NIAAA) Guide	=
Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)/Alcohol Subscore	=
Other (Specify)	=

5. Was he/she willing to continue his/her participation in the SBIRT program?

- O YES
- O NO

### A. PLANNED SERVICES

### [REPORTED BY PROGRAM STAFF ABOUT CLIENT ONLY AT INTAKE/BASELINE.]

Identify the services you plan to provide to the client during the client's course of treatment/recovery. [SELECT "YES" OR "NO" FOR EACH ONE.]

Mod	ality	Yes No	)
[SEL	LECT AT LEAST ONE MODALITY.]		
1.	Case Management	0 C	)
2.	Day Treatment	0 C	)
3.	Inpatient/Hospital (Other Than Detox)	0 C	,
4.	Outpatient	0 C	)
5.	Outreach	0 C	)
6.	Intensive Outpatient	0 C	,
7.	Methadone	0 C	)
8.	Residential/Rehabilitation	0 C	)
9.	Detoxification (Select Only One)		
	A. Hospital Inpatient	0 C	)
	B. Free-Standing Residential	0 C	)
	C. Ambulatory Detoxification	0 C	,
10.	After Care	0 C	)
11.	Recovery Support	0 C	1
12.	Other (Specify)	0 C	)

#### [SELECT AT LEAST ONE SERVICE.] **Treatment Services** Yes No **[SBIRT GRANTS: YOU MUST SELECT** "YES" FOR AT LEAST ONE OF THE **TREATMENT SERVICES NUMBERED 1-4.**] Ο 1. Screening Ο Ο 2. **Brief Intervention** Ο Ο 3. **Brief Treatment** Ο 4. Referral to Treatment Ο Ο 5. Ο Ο Assessment Ο Ο 6. Treatment/Recovery Planning Individual Counseling Ο Ο 7. Ο Ο Group Counseling 8. Ο Ο 9. Family/Marriage Counseling 10. Co-Occurring Treatment/ Ο Ο **Recovery Services** Ο 11. Pharmacological Interventions Ο 12. HIV/AIDS Counseling $\bigcirc$ $\bigcirc$ 13. Other Clinical Services (Specify) Ο Ο

Cas	e Management Services	Yes	No
1.	Family Services (Including Marriage		
	Education, Parenting, Child Development		
	Services)	0	0
2.	Child Care	0	$\bigcirc$
3.	Employment Service		
	A. Pre-Employment	0	0
	B. Employment Coaching	$\bigcirc$	0
4.	Individual Services Coordination	0	$\bigcirc$
5.	Transportation	000	0000
6.	HIV/AIDS Service		$\bigcirc$
7.	Supportive Transitional Drug-Free Housin	g	
	Services	0	0
8.	Other Case Management Services		
	(Specify)	0	Ο
	lical Services	Yes	No
1.	Medical Care	0	0
2.	Alcohol/Drug Testing	0	Õ
3.	HIV/AIDS Medical Support and Testing	0	0
4.	Other Medical Services	~	~
	(Specify)	0	0
Afte	er Care Services	Yes	No
	er Care Services Continuing Care	Yes	No O
1.	Continuing Care	$\bigcirc$	
1. 2.	Continuing Care Relapse Prevention	000	0 0
1. 2. 3.	Continuing Care Relapse Prevention Recovery Coaching	000	000
1. 2. 3. 4.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups	$\bigcirc$	0 0
1. 2. 3. 4. 5.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support	0000	000
1. 2. 3. 4.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups	0000	000
1. 2. 3. 4. 5.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services	00000	0000000
1. 2. 3. 4. 5. 6.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services	0 0 0 0 0 Yes	00000
1. 2. 3. 4. 5. 6. <b>Edu</b> 1.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify) cation Services Substance Abuse Education	○ ○ ○ ○ ○ ○ ○ ○ ○	0000000
1. 2. 3. 4. 5. 6. <b>Edu</b>	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify)	0 0 0 0 0 Yes	0000000
1. 2. 3. 4. 5. 6. <b>Edu</b> 1.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify) cation Services Substance Abuse Education	○ ○ ○ ○ ○ ○ ○ ○ ○	0000000
1. 2. 3. 4. 5. 6. <b>Edu</b> 1. 2.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify) <b>reation Services</b> Substance Abuse Education HIV/AIDS Education	○ ○ ○ ○ ○ ○ ○ ○ ○	0000000
1. 2. 3. 4. 5. 6. <b>Edu</b> 1. 2. 3.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify)	○ ○ ○ ○ ○ Yes ○ ○	0 0 0 0 0 0 0 0 0 0 0
1. 2. 3. 4. 5. 6. <b>Edu</b> 1. 2. 3. <b>Peee</b>	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify)	○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1. 2. 3. 4. 5. 6. <b>Edu</b> 1. 2. 3. <b>Peer</b> 1.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify)	○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1. 2. 3. 4. 5. 6. <b>Edu</b> 1. 2. 3. <b>Peer</b> 1. 2.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify)	○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1. 2. 3. 4. 5. 6. <b>Edu</b> 1. 2. 3. <b>Peee</b> 1. 2. 3.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify)	○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1. 2. 3. 4. 5. 6. <b>Edu</b> 1. 2. 3. <b>Peee</b> 1. 2. 3. 4.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify)	○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1. 2. 3. 4. 5. 6. <b>Edu</b> 1. 2. 3. <b>Peee</b> 1. 2. 3.	Continuing Care Relapse Prevention Recovery Coaching Self-Help and Support Groups Spiritual Support Other After Care Services (Specify)	○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

### A. DEMOGRAPHICS

### [ASKED ONLY AT INTAKE/BASELINE.]

### 1. What is your gender?

- O MALE
- O FEMALE
- O TRANSGENDER
- O OTHER (SPECIFY)
- O REFUSED

### 2. Are you Hispanic or Latino?

- O YES
- O NO
- O REFUSED

*[IF YES]* What ethnic group do you consider yourself? Please answer yes or no for each of the following. You may say yes to more than one.


Ethnic Group	Yes	No	Refused
Central American	0	$\bigcirc$	0
Cuban	0	$\bigcirc$	0
Dominican	0	$\bigcirc$	0
Mexican	0	0	0
Puerto Rican	0	$\bigcirc$	0
South American	0	0	0
Other	0	$\bigcirc$	○ [IF YES, SPECIFY BELOW.]
(SPECIFY)			

### 3. What is your race? Please answer yes or no for each of the following. You may say yes to more than one.

Race	Yes	No	Refused
Black or African American	0	$\bigcirc$	0
Asian	0	$\bigcirc$	0
Native Hawaiian or other Pacific Islander	0	0	0
Alaska Native	0	0	0
White	0	0	0
American Indian	0	$\bigcirc$	0

### 4. What is your date of birth?\*

/		[*THE SYSTEM WILL ONLY SAVE MONTH AND YEAR.
Month	Day	TO MAINTAIN CONFIDENTIALITY, DAY IS NOT SAVED.]



### O REFUSED

## A. MILITARY FAMILY AND DEPLOYMENT

- 5. Have you ever served in the Armed Forces, in the Reserves, or in the National Guard? *[IF SERVED]* In which area, the Armed Forces, Reserves, or National Guard did you serve?
  - O NO
  - YES, IN THE ARMED FORCES
  - YES, IN THE RESERVES
  - O YES, IN THE NATIONAL GUARD
  - O REFUSED
  - O DON'T KNOW

[IF NO, REFUSED, OR DON'T KNOW, SKIP TO QUESTION A6.]

- 5a. Are you currently on active duty in the Armed Forces, in the Reserves, or in the National Guard? *[IF ACTIVE]* In which area, the Armed Forces, Reserves, or National Guard?
- O NO, SEPARATED OR RETIRED FROM THE ARMED FORCES, RESERVES, OR NATIONAL GUARD
- YES, IN THE ARMED FORCES
- YES, IN THE RESERVES
- YES, IN THE NATIONAL GUARD
- O REFUSED
- O DON'T KNOW

### 5b. Have you ever been deployed to a combat zone? [CHECK ALL THAT APPLY.]

- O NEVER DEPLOYED
- IRAQ OR AFGHANISTAN (E.G., Operation Enduring Freedom [OEF]/ Operation Iraqi Freedom [OIF]/ Operation New Dawn [OND])
- O PERSIAN GULF (OPERATION DESERT SHIELD/DESERT STORM)
- O VIETNAM/SOUTHEAST ASIA
- O KOREA
- O WWII
- O DEPLOYED TO A COMBAT ZONE NOT LISTED ABOVE (E.G., BOSNIA/SOMALIA)
- O REFUSED
- O DON'T KNOW

## [SBIRT GRANTEES: FOR CLIENTS WHO SCREENED NEGATIVE, THE INTAKE INTERVIEW IS NOW COMPLETE.]

### A. MILITARY FAMILY AND DEPLOYMENT (CONTINUED)

6. Is anyone in your family or someone close to you on active duty in the Armed Forces, in the Reserves, or in the National Guard or separated or retired from the Armed Forces, Reserves, or National Guard?

- O NO
- O YES, ONLY ONE
- YES, MORE THAN ONE
- REFUSED
- O DON'T KNOW

### [IF NO, REFUSED, OR DON'T KNOW, SKIP TO SECTION B.]

## *[IF YES, ANSWER FOR UP TO 6 PEOPLE.]* What is the relationship of that person (Service Member) to you? *[WRITE RELATIONSHIP IN COLUMN HEADING.]*

[WRITE RELATIONSHIP IN COLUMN HEADING.]												
1 = Mother $2 = Father$												
3 = Brother $4 = Sister$												
5 = Spouse $6 = 1$	Par	tner										
7 = Child $8 = 0$	Otł	ner (Specify)										
Has the Service Member												
experienced any of the												
following? [CHECK												
ANSWER IN												
APPROPRIATE COLUMN	(F	Relationship)	(F	Relationship)	(R	Relationship)	(R	(elationship)	(R	(lationship)	( <b>R</b>	elationship)
FOR ALL THAT APPLY.]	Ì	1.		2.		3.		4.		5.		6.
6a. Deployed in support of	0	YES	0	YES	0	YES	0	YES	0	YES	0	YES
combat operations	$\bigcirc$	NO	0	NO	$\bigcirc$	NO	$\bigcirc$	NO	$\bigcirc$	NO	$\bigcirc$	NO
(e.g., Iraq or	0	REFUSED	0	REFUSED	0	REFUSED	$\bigcirc$	REFUSED	$\bigcirc$	REFUSED	$\bigcirc$	REFUSED
Afghanistan)?	$\bigcirc$	DON'T	0	DON'T	$\bigcirc$	DON'T	$\bigcirc$	DON'T	$\bigcirc$	DON'T	$\bigcirc$	DON'T
		KNOW		KNOW		KNOW		KNOW		KNOW		KNOW
6b. Was physically injured	0	YES	0	YES	0	YES	0	YES	0	YES	0	YES
during combat	$\bigcirc$	NO	0	NO	0	NO	$\bigcirc$	NO	$\bigcirc$	NO	0	NO
operations?	0	REFUSED	0	REFUSED	0	REFUSED	$\bigcirc$	REFUSED	0	REFUSED	0	REFUSED
	$\bigcirc$	DON'T	0	DON'T	0	DON'T	$\bigcirc$	DON'T	0	DON'T	0	DON'T
		KNOW		KNOW		KNOW		KNOW		KNOW		KNOW
6c. Developed combat	0	YES	0	YES	0	YES	$\bigcirc$	YES	0	YES	0	YES
stress	$\bigcirc$	NO	0	NO	0	NO	$\bigcirc$	NO	$\bigcirc$	NO	0	NO
symptoms/difficulties	$\bigcirc$	REFUSED	0	REFUSED	0	REFUSED	$\bigcirc$	REFUSED	0	REFUSED	0	REFUSED
adjusting following	$\bigcirc$	DON'T	0	DON'T	$\bigcirc$	DON'T	$\bigcirc$	DON'T	$\bigcirc$	DON'T	0	DON'T
deployment, including		KNOW		KNOW		KNOW		KNOW		KNOW		KNOW
post-traumatic stress												
disorder (PTSD),												
depression, or suicidal												
thoughts?												
6d. Died or was killed?	0	YES	0	YES	0	YES	0	YES	0	YES	0	YES
	0	NO	0	NO	0	NO	$\bigcirc$	NO	0	NO	0	NO
	0	REFUSED	0	REFUSED	0	REFUSED	$\bigcirc$	REFUSED	0	REFUSED	$\bigcirc$	REFUSED
	0	DON'T	0	DON'T	0	DON'T	$\bigcirc$	DON'T	0	DON'T	$\bigcirc$	DON'T
		KNOW		KNOW		KNOW		KNOW		KNOW		KNOW
h			•		·							

## **B. DRUG AND ALCOHOL USE**

			Number of Days	REFUSED	DON'T KNOW
1.		ring the past 30 days, how many days have you used the lowing:			
	a.	Any alcohol [IF ZERO, SKIP TO ITEM B1c.]		0	$\bigcirc$
	b1.	Alcohol to intoxication (5+ drinks in one sitting)		0	$\bigcirc$
	b2.	Alcohol to intoxication (4 or fewer drinks in one sitting and felt high)		0	0
	c.	Illegal drugs [IF B1a <u>OR</u> B1c = 0, REFUSED (RF), DON'T KNOW (DK), THEN SKIP TO ITEM B2.]		0	0
	d.	Both alcohol and drugs (on the same day)		0	0
1. ( *N CH LE	Dral OTH IOO AST <b>Du</b> the	of Administration Types: 2. Nasal 3. Smoking 4. Non-intravenous (IV) injection 5. IV E THE USUAL ROUTE. FOR MORE THAN ONE ROUTE, SE THE MOST SEVERE. THE ROUTES ARE LISTED FROM C SEVERE (1) TO MOST SEVERE (5). ring the past 30 days, how many days have you used any of following: [IF THE VALUE IN ANY ITEM B2a–B2i > 0,			
	TH	EN THE VALUE IN B1c MUST BE > 0.]	Number of Days – I	RF DK	Route* RF DK
	a.	Cocaine/Crack		0 0	<u> </u>
	b.	Marijuana/Hashish (Pot, Joints, Blunts, Chronic, Weed, Mary Jane)	<u>                                   </u>	0 0	O O
	c.	Opiates:			
		1. Heroin (Smack, H, Junk, Skag)		0 0	O O
		2. Morphine		0 0	<u> </u>
		3. Dilaudid		0 0	<u> </u>

- 4. Demerol
- 5. Percocet
- 6. Darvon
- 7. Codeine
- 8. Tylenol 2, 3, 4
- 9. OxyContin/Oxycodone
- d. Non-prescription methadone
- e. Hallucinogens/psychedelics, PCP (Angel Dust, Ozone, Wack, Rocket Fuel), MDMA (Ecstasy, XTC, X, Adam), LSD (Acid, Boomers, Yellow Sunshine), Mushrooms, or Mescaline
- f. Methamphetamine or other amphetamines (Meth, Uppers, Speed, Ice, Chalk, Crystal, Glass, Fire, Crank)

O	0		0	0
0	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0
O	0		0	0

## **B. DRUG AND ALCOHOL USE (CONTINUED)**

### **Route of Administration Types:**

1. Oral 2. Nasal 3. Smoking 4. Non-IV injection 5. IV \*NOTE THE USUAL ROUTE. FOR MORE THAN ONE ROUTE, CHOOSE THE MOST SEVERE. THE ROUTES ARE LISTED FROM LEAST SEVERE (1) TO MOST SEVERE (5).

2. During the past 30 days, how many days have you used any of the following: *[IF THE VALUE IN ANY ITEM B2a–B2i > 0, THEN THE VALUE IN B1c MUST BE > 0.]* 

			Number of Days   RF  DK	Route* RF DK
g.	Triazolam (Ĥa	nes: Diazepam (Valium); Alprazolam (Xanax); alcion); and Estasolam (Prosom and Rohypnol, roofies, roche, and cope)		<u>          0   0</u>
	2. Barbiturates: sodium (Nem	Mephobarbital (Mebacut) and pentobarbital butal)	O O	<u> </u>
	· ·	ion GHB (known as Grievous Bodily Harm, y, and Georgia Home Boy)	<u> </u>	<u> </u>
	4. Ketamine (kn	own as Special K or Vitamin K)	<u> </u>	O O
	5. Other tranquil	izers, downers, sedatives, or hypnotics	<u> </u>	O O
h.	Inhalants (poppers	s, snappers, rush, whippets)	<u> </u>	<u> </u>
i.	Other illegal drug	s (Specify)		<u> </u>

- 3. In the past 30 days, have you injected drugs? [IF ANY ROUTE OF ADMINISTRATION IN B2a-B2i = 4 or 5, THEN B3 MUST = YES.]
  - O YES
  - O NO
  - O REFUSED
  - O DON'T KNOW

### [IF NO, REFUSED, OR DON'T KNOW, SKIP TO SECTION C.]

### 4. In the past 30 days, how often did you use a syringe/needle, cooker, cotton, or water that someone else used?

- O Always
- $\bigcirc$  More than half the time
- $\bigcirc$  Half the time
- $\bigcirc$  Less than half the time
- O Never
- O REFUSED
- O DON'T KNOW

## C. FAMILY AND LIVING CONDITIONS

- 1. In the past 30 days, where have you been living most of the time? [DO NOT READ RESPONSE OPTIONS TO CLIENT.]
  - SHELTER (SAFE HAVENS, TRANSITIONAL LIVING CENTER [TLC], LOW-DEMAND FACILITIES, RECEPTION CENTERS, OTHER TEMPORARY DAY OR EVENING FACILITY)
  - O STREET/OUTDOORS (SIDEWALK, DOORWAY, PARK, PUBLIC OR ABANDONED BUILDING)
  - O INSTITUTION (HOSPITAL, NURSING HOME, JAIL/PRISON)
  - O HOUSED: [IF HOUSED, CHECK APPROPRIATE SUBCATEGORY:]
    - O OWN/RENT APARTMENT, ROOM, OR HOUSE
    - SOMEONE ELSE'S APARTMENT, ROOM, OR HOUSE
    - O DORMITORY/COLLEGE RESIDENCE
    - O HALFWAY HOUSE
    - **O** RESIDENTIAL TREATMENT
    - OTHER HOUSED (SPECIFY) \_
  - O REFUSED
  - O DON'T KNOW

### 2. How satisfied are you with the conditions of your living space?

- Very dissatisfied
- $\bigcirc$  Dissatisfied
- O Neither satisfied nor dissatisfied
- $\bigcirc$  Satisfied
- Very satisfied
- O REFUSED
- O DON'T KNOW

3. During the past 30 days, how stressful have things been for you because of your use of alcohol or other drugs? [IF B1a <u>OR</u> B1c > 0, THEN C3 CANNOT = "NOT APPLICABLE."]

- Not at all
- O Somewhat
- Considerably
- Extremely
- NOT APPLICABLE [USE ONLY IF B1A AND B1C = 0.]
- O REFUSED
- O DON'T KNOW

## 4. During the past 30 days, has your use of alcohol or other drugs caused you to reduce or give up important activities? [IF B1a <u>OR</u> B1c > 0, THEN C4 CANNOT = "NOT APPLICABLE."]

- $\bigcirc$  Not at all
- O Somewhat
- O Considerably
- $\bigcirc$  Extremely
- NOT APPLICABLE [USE ONLY IF B1A AND B1C = 0.]
- O REFUSED
- O DON'T KNOW

### C. FAMILY AND LIVING CONDITIONS (CONTINUED)

## 5. During the past 30 days, has your use of alcohol or other drugs caused you to have emotional problems? [*IF B1a <u>OR</u> B1c > 0, THEN C5 CANNOT = "NOT APPLICABLE."*]

- Not at all
- O Somewhat
- O Considerably
- Extremely
- NOT APPLICABLE [USE ONLY IF B1a <u>AND</u> B1c = 0.]
- O REFUSED
- O DON'T KNOW

### 6. *[IF NOT MALE]* Are you currently pregnant?

- O YES
- O NO
- O REFUSED
- O DON'T KNOW

### 7. Do you have children?

- O YES
- O NO
- O REFUSED
- O DON'T KNOW

### [IF NO, REFUSED, OR DON'T KNOW, SKIP TO SECTION D.]

a. How many children do you have? [IF C7 = YES, THEN THE VALUE IN C7a MUST BE > 0.]

I\_\_\_\_ O REFUSED O DON'T KNOW

### b. Are any of your children living with someone else due to a child protection court order?

- O YES
- O NO
- O REFUSED
- O DON'T KNOW

[IF NO, REFUSED, OR DON'T KNOW, SKIP TO ITEM C7D.]

c. *[IF YES]* How many of your children are living with someone else due to a child protection court order? [THE VALUE IN C7c CANNOT EXCEED THE VALUE IN C7a.]

|\_\_\_\_| O REFUSED O DON'T KNOW

d. For how many of your children have you lost parental rights? [THE CLIENT'S PARENTAL RIGHTS WERE TERMINATED.] [THE VALUE IN ITEM C7d CANNOT EXCEED THE VALUE IN C7a.]

I\_\_\_\_ O REFUSED O DON'T KNOW

### D. EDUCATION, EMPLOYMENT, AND INCOME

## 1. Are you currently enrolled in school or a job training program? [IF ENROLLED] Is that full time or part time? [IF CLIENT IS INCARCERATED, CODE D1 AS "NOT ENROLLED."]

- O NOT ENROLLED
- ENROLLED, FULL TIME
- ENROLLED, PART TIME
- O OTHER (SPECIFY)
- O REFUSED
- O DON'T KNOW

### 2. What is the highest level of education you have finished, whether or not you received a degree?

- $\bigcirc \quad \text{NEVER ATTENDED}$
- O 1ST GRADE
- O 2ND GRADE
- 3RD GRADE
- 4TH GRADE
- 5TH GRADE
- 6TH GRADE
- 7TH GRADE
- O 8TH GRADE
- 9TH GRADE
- 10TH GRADE
- 11TH GRADE
- O 12TH GRADE/HIGH SCHOOL DIPLOMA/EQUIVALENT
- O COLLEGE OR UNIVERSITY/1ST YEAR COMPLETED
- O COLLEGE OR UNIVERSITY/2ND YEAR COMPLETED/ASSOCIATE'S DEGREE (AA, AS)
- O COLLEGE OR UNIVERSITY/3RD YEAR COMPLETED
- O BACHELOR'S DEGREE (BA, BS) OR HIGHER
- VOCATIONAL/TECHNICAL (VOC/TECH) PROGRAM AFTER HIGH SCHOOL BUT NO VOC/TECH DIPLOMA
- O VOC/TECH DIPLOMA AFTER HIGH SCHOOL
- O REFUSED
- O DON'T KNOW

### 3. Are you currently employed? [CLARIFY BY FOCUSING ON STATUS DURING MOST OF THE PREVIOUS WEEK, DETERMINING WHETHER CLIENT WORKED AT ALL OR HAD A REGULAR JOB BUT WAS OFF WORK. IF CLIENT IS "ENROLLED, FULL TIME" IN DI AND INDICATES "EMPLOYED, FULL TIME" IN D3, ASK FOR CLARIFICATION. IF CLIENT IS INCARCERATED AND HAS NO WORK OUTSIDE OF JAIL, CODE D3 AS "UNEMPLOYED, NOT LOOKING FOR WORK."]

- O EMPLOYED, FULL TIME (35+ HOURS PER WEEK, OR WOULD HAVE BEEN)
- O EMPLOYED, PART TIME
- UNEMPLOYED, LOOKING FOR WORK
- O UNEMPLOYED, DISABLED
- UNEMPLOYED, VOLUNTEER WORK
- O UNEMPLOYED, RETIRED
- UNEMPLOYED, NOT LOOKING FOR WORK
- OTHER (SPECIFY)\_
- O REFUSED
- O DON'T KNOW

### D. EDUCATION, EMPLOYMENT, AND INCOME (CONTINUED)

4. Approximately, how much money did YOU receive (pre-tax individual income) in the past 30 days from ... [IF D3 DOES NOT = "EMPLOYED" AND THE VALUE IN D4a IS GREATER THAN ZERO, PROBE. IF D3 = "UNEMPLOYED, LOOKING FOR WORK" AND THE VALUE IN D4b = 0, PROBE. IF D3 = "UNEMPLOYED, RETIRED" AND THE VALUE IN D4c = 0, PROBE. IF D3 = "UNEMPLOYED, DISABLED" AND THE VALUE IN D4d = 0, PROBE.]

			RF	DK
a.	Wages	\$     ,	0	0
b.	Public assistance	\$     ,	0	0
c.	Retirement	\$     ,	0	0
d.	Disability	\$     ,	0	0
e.	Non-legal income	\$     ,	0	0
f.	Family and/or friends	\$     ,	0	0
g.	Other (Specify)	\$     ,	0	0

### 5. Have you enough money to meet your needs?

- Not at all
- A little
- Moderately
- O Mostly
- Completely
- O REFUSED
- O DON'T KNOW

### E. CRIME AND CRIMINAL JUSTICE STATUS

1. In the past 30 days, how many times have you been arrested?

I\_\_\_\_\_ TIMES O REFUSED O DON'T KNOW

[IF NO ARRESTS, SKIP TO ITEM E3.]

2. In the past 30 days, how many times have you been arrested for drug-related offenses? [THE VALUE IN E2 CANNOT BE GREATER THAN THE VALUE IN E1.]

I\_\_\_\_\_ TIMES O REFUSED O DON'T KNOW

3. In the past 30 days, how many nights have you spent in jail/prison? [IF THE VALUE IN E3 IS GREATER THAN 15, THEN C1 MUST = INSTITUTION (JAIL/PRISON). IF C1 = INSTITUTION (JAIL/PRISON), THEN THE VALUE IN E3 MUST BE GREATER THAN OR EQUAL TO 15.]

I\_\_\_\_\_ NIGHTS O REFUSED O DON'T KNOW

4. In the past 30 days, how many times have you committed a crime? [CHECK NUMBER OF DAYS USED ILLEGAL DRUGS IN ITEM B1c. ANSWER HERE IN E4 SHOULD BE EQUAL TO OR GREATER THAN NUMBER IN B1c BECAUSE USING ILLEGAL DRUGS IS A CRIME.]

| \_\_\_\_\_ | TIMES  $\bigcirc$  REFUSED  $\bigcirc$  DON'T KNOW

#### 5. Are you currently awaiting charges, trial, or sentencing?

- O YES
- O NO
- O REFUSED
- O DON'T KNOW

#### 6. Are you currently on parole or probation?

- O YES
- O NO
- O REFUSED
- O DON'T KNOW

#### MENTAL AND PHYSICAL HEALTH PROBLEMS AND F. **TREATMENT/RECOVERY**

#### 1. How would you rate your overall health right now?

- Excellent
- Very good
- O Good
- O Fair
- O Poor
- O REFUSED

O DON'T KNOW

#### 2. During the past 30 days, did you receive:

#### Inpatient treatment for a.

a.	Inp	atient treatment for:		<i>[IF YES]</i> Altogether			
			YES	for how many nights	NO	RF	DK
	i.	Physical complaint	0	nights	0	0	0
	ii.	Mental or emotional difficulties	0	nights	0	0	0
	iii.	Alcohol or substance abuse	0	nights	0	0	0
b.	Outpatient treatment for:			<i>[IF YES]</i> Altogether			
			YES	for how many times	NO	RF	DK
	i.	Physical complaint	0	times	0	0	0
	ii.	Mental or emotional difficulties	0	times	0	0	0
	iii.	Alcohol or substance abuse	0	times	0	0	0
c.	Em	ergency room treatment for:		[IF YES] Altogether			
			YES	for how many times	NO	RF	DK
	i.	Physical complaint	0	times	0	0	0
	ii.	Mental or emotional difficulties	0	times	0	0	0
	iii.	Alcohol or substance abuse	0	times	0	0	0

# F. MENTAL AND PHYSICAL HEALTH PROBLEMS AND TREATMENT/RECOVERY (CONTINUED)

- 3. During the past 30 days, did you engage in sexual activity?
  - O Yes
  - No [SKIP TO F4.]
  - NOT PERMITTED TO ASK *[SKIP TO F4.]*
  - O REFUSED [SKIP TO F4.]
  - O DON'T KNOW [SKIP TO F4.]

### [IF YES] Altogether, how many:

a.	Sexual contacts (vaginal, oral, or anal) did you have?	Contacts	RF O	DK O
b.	Unprotected sexual contacts did you have? [THE VALUE IN F3b SHOULD NOT BE GREATER THAN THE VALUE IN F3a.] [IF ZERO, SKIP TO F4.]		0	0
c.	Unprotected sexual contacts were with an individual who is or was [NONE OF THE VALUES IN F3c1–F3c3 CAN BE GREATER THAN THE VALUE IN F3b.]			
	1. HIV positive or has AIDS		0	0
	2. An injection drug user		$\bigcirc$	0
	3. High on some substance		0	0

### 4. Have you ever been tested for HIV?

- Yes [GO TO F4a.]
- O No [SKIP TO F5.]
- O REFUSED [SKIP TO F5.]
- O DON'T KNOW [SKIP TO F5.]

a. Do you know the results of your HIV testing?

- O Yes
- O No

### 5. How would you rate your quality of life?

- Very poor
- O Poor
- $\bigcirc$  Neither poor nor good
- $\bigcirc \ \ \, Good$
- $\bigcirc$  Very good
- O REFUSED
- O DON'T KNOW

# F. MENTAL AND PHYSICAL HEALTH PROBLEMS AND TREATMENT/RECOVERY (CONTINUED)

### 6. How satisfied are you with your health?

- Very dissatisfied
- $\bigcirc$  Dissatisfied
- $\bigcirc$  Neither satisfied nor dissatisfied
- $\bigcirc$  Satisfied
- Very satisfied
- O REFUSED
- O DON'T KNOW

### 7. Do you have enough energy for everyday life?

- O Not at all
- A little
- Moderately
- O Mostly
- Completely
- O REFUSED
- O DON'T KNOW

### 8. How satisfied are you with your ability to perform your daily activities?

- Very dissatisfied
- O Dissatisfied
- $\bigcirc$  Neither satisfied nor dissatisfied
- Satisfied
- $\bigcirc$  Very satisfied
- O REFUSED
- O DON'T KNOW

### 9. How satisfied are you with yourself?

- Very dissatisfied
- O Dissatisfied
- $\bigcirc$  Neither satisfied nor dissatisfied
- $\bigcirc$  Satisfied
- $\bigcirc$  Very satisfied
- O REFUSED
- O DON'T KNOW

# F. MENTAL AND PHYSICAL HEALTH PROBLEMS AND TREATMENT/RECOVERY (CONTINUED)

### 10. In the past 30 days, not due to your use of alcohol or drugs, how many days have you:

		Days	RF	DK
a.	Experienced serious depression		0	0
b.	Experienced serious anxiety or tension		0	0
c.	Experienced hallucinations		0	0
d.	Experienced trouble understanding, concentrating, or		0	
	remembering		0	0
e.	Experienced trouble controlling violent behavior		0	0
f.	Attempted suicide		0	0
g.	Been prescribed medication for psychological/emotional			
	problem		$\bigcirc$	0

## [IF CLIENT REPORTS ZERO DAYS, RF, OR DK TO <u>ALL</u> ITEMS IN QUESTION F10, SKIP TO ITEM F12.]

### 11. How much have you been bothered by these psychological or emotional problems in the past 30 days?

- Not at all
- Slightly
- Moderately
- $\bigcirc$  Considerably
- Extremely
- O REFUSED
- O DON'T KNOW

## F. VIOLENCE AND TRAUMA

- 12. Have you ever experienced violence or trauma in any setting (including community or school violence; domestic violence; physical, psychological, or sexual maltreatment/assault within or outside of the family; natural disaster; terrorism; neglect; or traumatic grief)?
  - O YES
  - O NO
  - O REFUSED
  - O DON'T KNOW

### [IF NO, REFUSED, OR DON'T KNOW, SKIP TO ITEM F13.]

Did any of these experiences feel so frightening, horrible, or upsetting that, in the past and/or the present, you:

- 12a. Have had nightmares about it or thought about it when you did not want to?
  - O YES
  - O NO
  - O REFUSED
  - O DON'T KNOW

## F. VIOLENCE AND TRAUMA (CONTINUED)

12b. Tried hard not to think about it or went out of your way to avoid situations that remind you of it?

- O YES
- O NO
- REFUSED
- O DON'T KNOW

#### 12c. Were constantly on guard, watchful, or easily startled?

- O YES
- O NO
- O REFUSED
- O DON'T KNOW
- 12d. Felt numb and detached from others, activities, or your surroundings?
  - O YES
  - O NO
  - O REFUSED
  - O DON'T KNOW

#### 13. In the past 30 days, how often have you been hit, kicked, slapped, or otherwise physically hurt?

- Never
- $\bigcirc$  A few times
- $\bigcirc$  More than a few times
- O REFUSED
- O DON'T KNOW

## G. SOCIAL CONNECTEDNESS

1. In the past 30 days, did you attend any voluntary self-help groups for recovery that were not affiliated with a religious or faith-based organization? In other words, did you participate in a nonprofessional, peer-operated organization that is devoted to helping individuals who have addiction-related problems, such as Alcoholics Anonymous, Narcotics Anonymous, Oxford House, Secular Organization for Sobriety, or Women for Sobriety, etc.?

○ YES [IF YES] SPECIFY HOW MANY TIMES    ○ REFUSED	○ DON'T KNOW
$\circ$ NO	
$\bigcirc$ REFUSED	
O DON'T KNOW	
In the past 30 days, did you attend any religious/faith-affiliated recovery self-help grou	ups?
	1
○ YES [IF YES] SPECIFY HOW MANY TIMES    ○ REFUSED	○ DON'T KNOW
$\circ$ NO	
○ REFUSED	
O DON'T KNOW	
In the past 30 days, did you attend meetings of organizations that support recovery of	har than the
	ner than the
organizations described above?	
• YES IF YEST SPECIFY HOW MANY TIMES     • • REFUSED	O DON'T KNOW

O NO

2.

3.

- O REFUSED
- O DON'T KNOW
- 4. In the past 30 days, did you have interaction with family and/or friends that are supportive of your recovery?
  - O YES
  - O NO
  - O REFUSED
  - O DON'T KNOW

#### 5. To whom do you turn when you are having trouble? [SELECT ONLY ONE.]

- NO ONE
- O CLERGY MEMBER
- O FAMILY MEMBER
- O FRIENDS
- O REFUSED
- O DON'T KNOW
- OTHER (SPECIFY)\_\_

#### 6. How satisfied are you with your personal relationships?

- Very dissatisfied
- O Dissatisfied
- Neither satisfied nor dissatisfied
- Satisfied
- $\bigcirc$  Very satisfied
- O REFUSED
- O DON'T KNOW

# H. PROGRAM-SPECIFIC QUESTIONS

YOU ARE NOT RESPONSIBLE FOR COLLECTING DATA ON ALL SECTION H QUESTIONS. YOUR GOVERNMENT PROJECT OFFICER (GPO) HAS PROVIDED GUIDANCE ON WHICH SPECIFIC SECTION H QUESTIONS YOU ARE TO COMPLETE. IF YOU HAVE ANY QUESTIONS, PLEASE CONTACT YOUR GPO.

# H1. PROGRAM-SPECIFIC QUESTIONS

[QUESTION 1 SHOULD BE REPORTED BY GRANTEE STAFF AT FOLLOW-UP AND DISCHARGE.]

- 1. Which of the following occurred for the client subsequent to receiving treatment? [CHECK ALL THAT APPLY.]
  - $\bigcirc$  Client was reunited with child (or children)
  - Client avoided out-of-home placement for child (or children)
  - $\bigcirc$  None of the above
  - Don't know

# H2. PROGRAM-SPECIFIC QUESTIONS

[QUESTION 1 SHOULD BE ANSWERED BY THE CLIENT AT FOLLOW-UP AND DISCHARGE.]

- 1. Did the [INSERT GRANTEE NAME] help you obtain any of the following benefits? [CHECK ALL THAT APPLY.]
  - $\bigcirc$  Private health insurance
  - Medicaid
  - Supplemental Security Income (SSI)/ Social Security disability insurance (SSDI)
  - Temporary Assistance for Needy Families (TANF)
  - Supplemental Nutrition Assistance Program (SNAP)
  - Other (Specify) \_
  - NONE OF THE ABOVE
  - REFUSED
  - DON'T KNOW

# H3. PROGRAM-SPECIFIC QUESTIONS

[QUESTION 1 SHOULD BE ANSWERED BY THE CLIENT AT FOLLOW-UP AND DISCHARGE.]

1. Have you achieved any of the following since you began receiving services or supports from *[INSERT GRANTEE NAME]*? If yes, do you believe that the services you received from *[INSERT GRANTEE NAME]* helped you with this achievement?

Status	Achieved?	If yes, do you believe that the services you received from <i>[INSERT GRANTEE NAME]</i> helped you with this achievement?
1a. Enrolled in school	<ul> <li>Yes</li> <li>No</li> <li>DON'T KNOW</li> <li>REFUSED</li> </ul>	<ul> <li>Yes</li> <li>No</li> <li>DON'T KNOW</li> <li>REFUSED</li> </ul>
1b. Enrolled in vocational training	<ul> <li>Yes</li> <li>No</li> <li>DON'T KNOW</li> <li>REFUSED</li> </ul>	<ul> <li>Yes</li> <li>No</li> <li>DON'T KNOW</li> <li>REFUSED</li> </ul>
1c. Currently employed	<ul> <li>Yes</li> <li>No</li> <li>DON'T KNOW</li> <li>REFUSED</li> </ul>	<ul> <li>Yes</li> <li>No</li> <li>DON'T KNOW</li> <li>REFUSED</li> </ul>
1d. Living in stable housing	<ul> <li>Yes</li> <li>No</li> <li>DON'T KNOW</li> <li>REFUSED</li> </ul>	<ul> <li>Yes</li> <li>No</li> <li>DON'T KNOW</li> <li>REFUSED</li> </ul>

# H4. PROGRAM-SPECIFIC QUESTIONS

#### [QUESTION 1 SHOULD BE ANSWERED BY THE CLIENT AT FOLLOW-UP AND DISCHARGE.]

- 1. Please indicate the degree to which you agree or disagree with the following statements:
  - a. Receiving treatment in a nonresidential setting has enabled me to maintain parenting and family responsibilities while receiving treatment.
    - $\bigcirc$  Strongly disagree
    - O Disagree
    - Undecided
    - Agree
    - Strongly agree
    - REFUSED
    - DON'T KNOW
  - **b.** As a result of treatment, I feel I now have the skills and support to balance parenting and managing my recovery.
    - Strongly disagree
    - Disagree
    - Undecided
    - Agree
    - Strongly agree
    - REFUSED
    - DON'T KNOW

# **H5. PROGRAM-SPECIFIC QUESTIONS**

#### [QUESTION 1 SHOULD BE ANSWERED BY THE CLIENT AT FOLLOW-UP AND DISCHARGE.]

- 1. Please indicate the degree to which you agree or disagree with the following statements:
  - a. Receiving treatment in a residential setting with my child (or children) has enabled me to focus on my treatment without distractions of parenting and family responsibilities.
    - Strongly disagree
    - Disagree
    - Undecided
    - O Agree
    - Strongly agree
    - REFUSED
    - DON'T KNOW
  - b. As a result of treatment, I feel I now have the skills and support to balance parenting and managing my recovery.
    - $\bigcirc$  Strongly disagree
    - Disagree
    - Undecided
    - Agree
    - Strongly agree
    - REFUSED
    - DON'T KNOW

# **H6. PROGRAM-SPECIFIC QUESTIONS**

# [QUESTION 1 SHOULD BE REPORTED BY GRANTEE STAFF AT INTAKE/BASELINE, FOLLOW-UP, AND DISCHARGE].

# 1. Please indicate which type of funding was/will be used to pay for the SBIRT services provided to this client. [CHECK ALL THAT APPLY.]

- Current SAMHSA grant funding
- $\bigcirc$  Other federal grant funding
- $\bigcirc$  State funding
- Client's private insurance
- Medicaid/Medicare
- $\bigcirc$  Other (Specify) \_
- O Don't know

[IF FOLLOW-UP OR DISCHARGE INTERVIEW, SKIP TO H3.]

#### [QUESTION 2 SHOULD BE REPORTED BY GRANTEE STAFF ONLY AT INTAKE/BASELINE.]

2. If the client screened positive for substance misuse or a substance use disorder, was the client assigned to the following types of services? [IF CLIENT SCREENED NEGATIVE, SELECT "NO" FOR EACH SERVICE BELOW.]

	Yes	No	Don't Know
Brief Intervention	0	$\bigcirc$	0
Brief Treatment	0	0	0
Referral to Treatment	0	0	0

# [QUESTION 3 SHOULD BE REPORTED BY GRANTEE STAFF AT INTAKE, BASELINE, FOLLOW-UP, AND DISCHARGE.]

3. Did the client receive the following types of services?

	Yes	No	Don't Know
Brief Intervention	$\bigcirc$	0	0
Brief Treatment	$\bigcirc$	0	0
Referral to Treatment	0	0	0

# **H7. PROGRAM-SPECIFIC QUESTIONS**

# [QUESTION 1 SHOULD BE ANSWERED BY THE CLIENT AT INTAKE/BASELINE, FOLLOW-UP, AND DISCHARGE.]

- 1. Did the program provide the following?
  - a. HIV test
    - O YES
    - NO [SKIP TO H1b.]
    - REFUSED [SKIP TO H1b.]
    - O DON'T KNOW [SKIP TO H1b.]

#### [IF YES] What was the result?

- $\bigcirc$  Positive
- Negative [SKIP TO H1b.]
- Indeterminate [SKIP TO H1b.]
- REFUSED [SKIP TO H1b.]
- O DON'T KNOW [SKIP TO H1b.]

#### [IF CLIENT SCREENED POSITIVE] Were you connected to HIV treatment services?

- O Yes
- O No
- REFUSED
- O DON'T KNOW

#### b. Hepatitis B (HBV) test

- O YES
- NO [SKIP TO H1c.]
- REFUSED *[SKIP TO H1c.]*
- O DON'T KNOW [SKIP TO H1c.]

#### [IF YES] What was the result?

- $\bigcirc$  Positive
- Negative [*SKIP TO H1c.*]
- Indeterminate [*SKIP TO H1c.*]
- REFUSED [*SKIP TO H1c.*]
- O DON'T KNOW [SKIP TO H1c.]

#### [IF CLIENT SCREENED POSITIVE] Were you connected to HBV treatment services?

- O Yes
- O No
- O REFUSED
- O DON'T KNOW

## H7. PROGRAM-SPECIFIC QUESTIONS (CONTINUED)

#### c. Hepatitis C (HCV) test

- O YES
- NO [SKIP TO SECTION I OR J/K.]
- REFUSED [SKIP TO SECTION I OR J/K.]
- O DON'T KNOW [SKIP TO SECTION I OR J/K.]

#### [IF YES] What was the result?

- $\bigcirc$  Positive
- Negative [SKIP TO SECTION I OR J/K.]
- Indeterminate [SKIP TO SECTION I OR J/K.]
- REFUSED [SKIP TO SECTION I OR J/K.]
- O DON'T KNOW [SKIP TO SECTION I OR J/K.]

#### [IF CLIENT SCREENED POSITIVE] Were you connected to HCV treatment services?

- O Yes
- O No
- REFUSED
- O DON'T KNOW

# **H8. PROGRAM-SPECIFIC QUESTIONS**

[QUESTIONS 1 AND 2 SHOULD BE ANSWERED BY THE CLIENT AT FOLLOW-UP AND DISCHARGE.]

1. Have you achieved any of the following since you began receiving peer services through [INSERT GRANTEE NAME]? If yes, do you believe that the peer services you received from [INSERT GRANTEE NAME] helped you with this achievement?

Status	Achieved?	If yes, do you believe that the peer services you received from <i>[INSERT GRANTEE NAME]</i> helped you with this achievement?
1a. Enrolled in school	O Yes	O Yes
	$\bigcirc$ No	
	<ul><li>O DON'T KNOW</li><li>O REFUSED</li></ul>	<ul> <li>O DON'T KNOW</li> <li>O REFUSED</li> </ul>
	∪ KEFUSED	⊖ REFUSED
1b. Enrolled in vocational training	O Yes	O Yes
	O No	O No
	O DON'T KNOW	O DON'T KNOW
	○ REFUSED	○ REFUSED
1c. Currently employed	O Yes	O Yes
	O No	O No
	O DON'T KNOW	O DON'T KNOW
	$\bigcirc$ REFUSED	○ REFUSED
1d. Living in stable housing	O Yes	O Yes
	O No	O No
	O DON'T KNOW	○ DON'T KNOW
	○ REFUSED	○ REFUSED

#### 2. To what extent has this program improved your quality of life?

- $\bigcirc$  To a great extent
- Somewhat
- Very little
- $\bigcirc$  Not at all
- REFUSED
- O DON'T KNOW

# **H9. PROGRAM-SPECIFIC QUESTIONS**

#### [QUESTION 1 SHOULD BE ANSWERED BY THE CLIENT AT FOLLOW-UP AND DISCHARGE.]

- 1. Please indicate the degree to which you agree or disagree with the following statements:
  - i. The use of technology accessed through [INSERT GRANTEE NAME] has helped me communicate with my provider.
    - $\bigcirc$  Strongly disagree
    - Disagree
    - Undecided
    - Agree
    - Strongly agree
    - NOT APPLICABLE
    - REFUSED
    - O DON'T KNOW
  - ii. The use of technology accessed through [INSERT GRANTEE NAME] has helped me reduce my substance use.
    - $\bigcirc$  Strongly disagree
    - Disagree
    - Undecided
    - Agree
    - Strongly agree
    - NOT APPLICABLE
    - REFUSED
    - O DON'T KNOW
  - iii. The use of technology accessed through [INSERT GRANTEE NAME] has helped me manage my mental health symptoms.
    - Strongly disagree
    - Disagree
    - Undecided
    - Agree
    - Strongly agree
    - NOT APPLICABLE
    - REFUSED
    - DON'T KNOW

# iv. The use of technology accessed through [INSERT GRANTEE NAME] has helped me support my recovery.

- $\bigcirc$  Strongly disagree
- Disagree
- Undecided
- Agree
- Strongly agree
- NOT APPLICABLE
- REFUSED
- DON'T KNOW

# H10. PROGRAM-SPECIFIC QUESTIONS

#### [QUESTIONS 1 AND 1A SHOULD BE REPORTED BY GRANTEE STAFF AT INTAKE/BASELINE, FOLLOW-UP, AND DISCHARGE. QUESTION 1B SHOULD BE REPORTED BY GRANTEE STAFF AT FOLLOW-UP/DISCHARGE IF THE CLIENT HAS BEEN REFERRED FOR SERVICES.]

#### 1. Did the client screen positive for a mental health disorder?

- Client screened positive
- Client screened negative [SKIP TO H2.]
- Client was not screened [SKIP TO H2.]
- O Don't know [SKIP TO H2.]
- a. [IF POSITIVE] Was the client referred to mental health services?
  - O Yes
  - O No [SKIP TO H2.]
  - O Don't know [SKIP TO H2.]
- b. [IF YES] Did the client receive mental health services?
  - O Yes
  - O No
  - O Don't know

#### [QUESTIONS 2 AND 2A SHOULD BE REPORTED BY GRANTEE STAFF AT INTAKE/BASELINE, FOLLOW-UP, AND DISCHARGE. QUESTION 2B SHOULD BE REPORTED BY GRANTEE STAFF AT FOLLOW-UP/DISCHARGE IF THE CLIENT HAS BEEN REFERRED FOR SERVICES.]

#### 2. Did the client screen positive for a substance use disorder?

- Client screened positive
- Client screened negative
- Client was not screened
- O Don't know

#### [IF THIS IS AT INTAKE/BASELINE AND THE RESPONSE IS NEGATIVE, NOT SCREENED, OR DON'T KNOW, SECTION H IS DONE. IF THIS IS AT FOLLOW-UP OR DISCHARGE AND THE RESPONSE IS NEGATIVE, NOT SCREENED, OR DON'T KNOW, SKIP TO QUESTION 3.]

#### a. [IF POSITIVE] Was the client referred to substance use disorder services?

- O Yes
- O No
- O Don't know

#### [IF THIS IS AT INTAKE/BASELINE, SECTION H IS DONE. IF THIS IS AT FOLLOW-UP OR DISCHARGE AND THE RESPONSE IS NO OR DON'T KNOW, SKIP TO QUESTION 3.]

# H10. PROGRAM-SPECIFIC QUESTIONS (CONTINUED)

- b. [IF YES] Did the client receive substance use disorder services?
  - O Yes
  - O No
  - O Don't know

#### [QUESTION 3 SHOULD BE ANSWERED BY THE CLIENT AT FOLLOW-UP AND DISCHARGE.]

- **3.** Please indicate the degree to which you agree or disagree with the following statement: Receiving communitybased services through *[INSERT GRANTEE NAME]* has helped me to avoid further contact with the police and the criminal justice system.
  - $\bigcirc$  Strongly disagree
  - Disagree
  - Undecided
  - Agree
  - $\bigcirc$  Strongly agree
  - REFUSED
  - DON'T KNOW

## I. FOLLOW-UP STATUS

#### [REPORTED BY PROGRAM STAFF ABOUT CLIENT ONLY AT FOLLOW-UP.]

# 1. What is the follow-up status of the client? [THIS IS A REQUIRED FIELD: NA, REFUSED, DON'T KNOW, AND MISSING WILL NOT BE ACCEPTED.]

- $\bigcirc$  01 = Deceased at time of due date
- $\bigcirc$  11 = Completed interview within specified window
- $\bigcirc$  12 = Completed interview outside specified window
- $\bigcirc$  21 = Located, but refused, unspecified
- $\bigcirc$  22 = Located, but unable to gain institutional access
- $\bigcirc$  23 = Located, but otherwise unable to gain access
- $\bigcirc$  24 = Located, but withdrawn from project
- $\bigcirc$  31 = Unable to locate, moved
- $\bigcirc$  32 = Unable to locate, other (Specify)

#### 2. Is the client still receiving services from your program?

- O Yes
- O No

#### [IF THIS IS A FOLLOW-UP INTERVIEW, STOP NOW; THE INTERVIEW IS COMPLETE.]

## J. DISCHARGE STATUS

#### [REPORTED BY PROGRAM STAFF ABOUT CLIENT ONLY AT DISCHARGE.]

#### 1. On what date was the client discharged?

/ <i>/</i>		/	
MONTH	DAY	YE	EAR

#### 2. What is the client's discharge status?

- $\bigcirc$  01 = Completion/Graduate
- $\bigcirc$  02 = Termination

#### If the client was terminated, what was the reason for termination? [SELECT ONE RESPONSE.]

- $\bigcirc$  01 = Left on own against staff advice with satisfactory progress
- $\bigcirc$  02 = Left on own against staff advice without satisfactory progress
- $\bigcirc$  03 = Involuntarily discharged due to nonparticipation
- $\bigcirc$  04 = Involuntarily discharged due to violation of rules
- $\bigcirc$  05 = Referred to another program or other services with satisfactory progress
- $\bigcirc$  06 = Referred to another program or other services with unsatisfactory progress
- $\bigcirc$  07 = Incarcerated due to offense committed while in treatment/recovery with satisfactory progress
- $\bigcirc$  08 = Incarcerated due to offense committed while in treatment/recovery with unsatisfactory progress
- 09 = Incarcerated due to old warrant or charged from before entering treatment/recovery with satisfactory progress
- $\bigcirc$  10 = Incarcerated due to old warrant or charged from before entering treatment/recovery with unsatisfactory progress
- $\bigcirc$  11 = Transferred to another facility for health reasons
- $\bigcirc$  12 = Death
- $\bigcirc$  13 = Other (Specify) \_\_\_\_\_

# J. DISCHARGE STATUS (CONTINUED)

#### 3. Did the program test this client for HIV?

- O Yes [SKIP TO SECTION K.]
- O No [GO TO J4.]

### 4. *[IF NO]* Did the program refer this client for testing?

- O Yes
- O No

## K. SERVICES RECEIVED

#### [REPORTED BY PROGRAM STAFF ABOUT CLIENT ONLY AT DISCHARGE.]

Identify the number of DAYS of services provided to the client during the client's course of treatment/recovery. [ENTER ZERO IF NO SERVICES PROVIDED. YOU SHOULD HAVE AT LEAST ONE DAY FOR MODALITY.]

Mo	dality	Days
1.	Case Management	
2.	Day Treatment	
3.	Inpatient/Hospital (Other Than	
	Detox)	
4.	Outpatient	
5.	Outreach	
6.	Intensive Outpatient	
7.	Methadone	
8.	Residential/Rehabilitation	
9.	Detoxification (Select Only One):	
А.	Hospital Inpatient	
B.	Free-Standing Residential	
C.	Ambulatory Detoxification	
10.	After Care	
11.	Recovery Support	

	•			 	
12.	Other (Spec	ify)	)	 	

# Identify the number of SESSIONS provided to the client during the client's course of treatment/ recovery. [ENTER ZERO IF NO SERVICES PROVIDED.]

Treatment Services	Sessions
[SBIRT GRANTS: YOU MUST HAVE AT .	LEAST
ONE SESSION FOR ONE OF THE TREA	TMENT
SERVICES NUMBERED 1-4.]	
1 Companing	1 1

1.	Screening	
2.	Brief Intervention	
3.	Brief Treatment	
4.	Referral to Treatment	
5.	Assessment	
6.	Treatment/Recovery Planning	
7.	Individual Counseling	
8.	Group Counseling	
9.	Family/Marriage Counseling	
10.	Co-Occurring Treatment/Recovery	
	Services	
11.	Pharmacological Interventions	
12.	HIV/AIDS Counseling	
13.	Other Clinical Services	
	(Specify)	

#### Case Management Services

1.	Family Services (Including Marriage
	Education, Parenting, Child
	Development Services)

- 2. Child Care
- 3. Employment Service
- A. Pre-Employment
- B. Employment Coaching
- 4. Individual Services Coordination
- 5. Transportation
- 6. HIV/AIDS Service
- 7. Supportive Transitional Drug-Free Housing Services
- 8. Other Case Management Services (Specify) \_\_\_\_\_

#### **Medical Services**

- 1. Medical Care
- 2. Alcohol/Drug Testing
- 3. HIV/AIDS Medical Support and Testing
- 4. Other Medical Services (Specify) \_\_\_\_\_ |\_\_\_

#### After Care Services

- 1. Continuing Care
- 2. Relapse Prevention
- 3. Recovery Coaching
- 4. Self-Help and Support Groups
- 5. Spiritual Support
- 6. Other After Care Services (Specify) \_\_\_\_\_

#### **Education Services**

- 1. Substance Abuse Education
- 2. HIV/AIDS Education
- 3. Other Education Services (Specify) \_\_\_\_\_

#### Peer-to-Peer Recovery Support Services

- 1. Peer Coaching or Mentoring
- 2. Housing Support
- 3. Alcohol- and Drug-Free Social Activities
- 4. Information and Referral
- 5. Other Peer-to-Peer Recovery Support Services (Specify) \_\_\_\_\_

1	1

Sessions


	_		
	I	I	I

Sessions			
	_		
	_		

a				
- 56	essi	n	n	C



Sessions		
Í	Ì	Ì


[This page intentionally left blank]